

**MAXIMUM WEIGHT ALLOWED FOR VARIOUS AXLE CONFIGURATIONS**

<b><u>AXLE CONFIGURATION (# OF AXLES)</u></b>	<b><u>MAX. WEIGHTS</u></b>
O	25,000
OO	55,000
OOO	65,000
OOOO	74,000
OOOOO	85,000
OOOOOO	90,000

**3 AXLES**

O 8' 00	70,000
O 9' 00	71,000
O 10' 00	72,000
O 11' 00	73,500
O 12' 00	75,000
O 13' 00	77,500
O 14' 00	80,000

**SINGLE/ TRIPLE COMBINATION**

(Not to exceed 25,000 on Single Axle or 65,000 on Triple Axle)

O 8' 000	81,000
O 9' 000	81,500
O 10' 000	82,000
O 11' 000	84,000
O 12' 000	86,000
O 13' 000	88,000
O 14' 000	90,000

**TANDEM/TANDEM COMBINATION**

(Not to exceed 55,000 on either tandem axle)

OO 8' 00	84,000
OO 9' 00	88,000
OO 10' 00	92,000
OO 11' 00	96,000
OO 12' 00	100,000
OO 13' 00	104,000
OO 14' 00	106,000
OO 15' 00	108,000
OO 16' 00	110,000

**TANDEM/SINGLE/SINGLE COMBINATION**

OO	8'	O	9'	O	83,000
55,000		14,000		14,000	
OO	8'	O	9'	O	90,000
50,000		20,000		20,000	
OO	8'	O	9'	O	92,000
42,000		25,000		25,000	
OO	8'	O	12'	O	95,000
55,000		20,000		20,000	
OO	10'	O	9'	O	89,000
55,000		17,000		17,000	
OO	10'	O	9'	O	94,000
50,000		22,000		22,000	
OO	10'	O	9'	O	96,000
46,000		25,000		25,000	
OO	10'	O	10'	O	97,000
55,000		21,000		21,000	
OO	12'	O	9'	O	100,000
50,000		25,000		25,000	
OO	12'	O	9'	O	100,000
55,000		22,500		22,500	
OO	14'	O	9'	O	105,000
55,000		25,000		25,000	

**5 AXLES**

**TRIPLE/TANDEM COMBINATION**

**(Not to exceed 65,000 on triple or 55,000 on tandem)**

OOO	8'	OO	90,000
OOO	9'	OO	92,000
OOO	10'	OO	94,000
OOO	11'	OO	97,000
OOO	12'	OO	100,000
OOO	13'	OO	102,500
OOO	14'	OO	105,000
OOO	15'	OO	108,000
OOO	16'	OO	111,000
OOO	17'	OO	115,500
OOO	18'	OO	120,000

**SINGLE/QUAD COMBINATION****(Not to exceed 25,000 on single axle or 74,000 on quad axle)**

O 8' 0000	86,000
O 9' 0000	87,000
O 10' 0000	88,000
O 11' 0000	89,500
O 12' 0000	91,000
O 13' 0000	93,500
O 14' 0000	96,000
O 15' 0000	97,500
O 16' 0000	99,000

**TANDEM/TANDEM/TANDEM COMBINATION****(Not to exceed 55,000 on any tandem axle)**

OO 8' OO 8' OO	102,000
OO 9' OO 9' OO	106,500
OO 10' OO 10' OO	111,000
OO 11' OO 11' OO	117,000
OO 12' OO 12' OO	123,000
OO 13' OO 13' OO	129,000
OO 14' OO 14' OO	135,000
OO 15' OO 15' OO	145,500
OO 16' OO 16' OO	156,000
OO 17' OO 17' OO	160,500
OO 18' OO 18' OO	165,000

**TRIPLE/TRIPLE COMBINATION****(Not to exceed 65,000 on either triple axle)**

OOO 8' OOO	96,000
OOO 9' OOO	100,000
OOO 10' OOO	104,000
OOO 11' OOO	107,000
OOO 12' OOO	110,000
OOO 13' OOO	113,000
OOO 14' OOO	116,000
OOO 15' OOO	120,000
OOO 16' OOO	124,000
OOO 17' OOO	127,000
OOO 18' OOO	130,000

**QUAD/TANDEM COMBINATION**

(Not to exceed 74,000 on quad axle or 55,000 on tandem axle)

0000	8'	00	88,000
0000	9'	00	90,000
0000	10'	00	98,000
0000	11'	00	101,000
0000	12'	00	103,000
0000	13'	00	106,000
0000	14'	00	110,000
0000	15'	00	114,000
0000	16'	00	119,000
0000	17'	00	126,000
0000	18'	00	129,000

**SINGLE/5 Axle Combination**

(Not to exceed 25,000 on single axle or 85,000 on 5 axles)

0	8'	00000	92,000
0	9'	00000	93,500
0	10'	00000	95,000
0	11'	00000	96,000
0	12'	00000	97,000
0	13'	00000	98,000
0	14'	00000	99,000
0	15'	00000	100,000
0	16'	00000	101,000
0	17'	00000	101,500
0	18'	00000	102,000

**SINGLE AXLES IN COMBINATION**

(Not to exceed 25,000 on any Single Axle)

0	9'	0	50,000									
0	9'	0	9'	0	75,000							
0	9'	0	9'	0	9'	0	100,000					
0	9'	0	9'	0	9'	0	9'	0	22,500 per axle	112,500		
0	9'	0	9'	0	9'	0	9'	0	9'	0	22,500 per axle	135,000
0	10'	0	10'	0	10'	0	10'	0	25,000 per axle	125,000		
0	10'	0	10'	0	10'	0	10'	0	10'	0	25,000 per axle	150,000

**QUAD/TRIPLE COMBINATION**

**(not to exceed 74,000 on a quad axle or 65,000 on a triple axle)**

0000	8'	000	97,000
0000	9'	000	100,000
0000	10'	000	104,000
0000	11'	000	107,000
0000	12'	000	111,000
0000	13'	000	115,000
0000	14'	000	121,000
0000	15'	000	127,000
0000	16'	000	135,000
0000	17'	000	139,000

---

**(Five Axle Group not to exceed 85,000 pounds or Tandem Axle not to exceed 55,000 pounds)**

00000	13'	00	112,000
00000	14'	00	114,000
00000	15'	00	116,000
00000	16'	00	118,000